


## Pendant recessed 250mA - 350mA

### Tubsi | pendant recessed | rod: white


Length rod: 0-250cm, exact size to be specified when ordering



	60°	
	2700K CRI97	DTW 2800-1800K CRI95
	4W · 400lm · 350mA · 12Vf	4W · 480lm · 250mA · 17Vf
White RAL9016	WLTUBSI 0301010201	WLTUBSI 0301010202
Ano black	WLTUBSI 0302010201	WLTUBSI 0302010202
Ano champagne	WLTUBSI 0303010201	WLTUBSI 0303010202
Ano bronze	WLTUBSI 0304010201	WLTUBSI 0304010202
Travertin	WLTUBSI 0305010201	WLTUBSI 0305010202
White marble	WLTUBSI 0306010201	WLTUBSI 0306010202
Black marble	WLTUBSI 0307010201	WLTUBSI 0307010202
Black oak	WLTUBSI 0308010201	WLTUBSI 0308010202
Walnut	WLTUBSI 0309010201	WLTUBSI 0309010202

### Tubsi | pendant recessed | rod: ano black


Length rod: 0-250cm, exact size to be specified when ordering



	60°	
	2700K CRI97	DTW 2800-1800K CRI95
	4W · 400lm · 350mA · 12Vf	4W · 480lm · 250mA · 17Vf
White RAL9016	WLTUBSI 0301020201	WLTUBSI 0301020202
Ano black	WLTUBSI 0302020201	WLTUBSI 0302020202
Ano champagne	WLTUBSI 0303020201	WLTUBSI 0303020202
Ano bronze	WLTUBSI 0304020201	WLTUBSI 0304020202
Travertin	WLTUBSI 0305020201	WLTUBSI 0305020202
White marble	WLTUBSI 0306020201	WLTUBSI 0306020202
Black marble	WLTUBSI 0307020201	WLTUBSI 0307020202
Black oak	WLTUBSI 0308020201	WLTUBSI 0308020202
Walnut	WLTUBSI 0309020201	WLTUBSI 0309020202

**Tubsi | pendant recessed | rod: ano champagne**


Length rod: 0-250cm, exact size to be specified when ordering



	60°	
	2700K CRI97	DTW 2800-1800K CRI95
	4W · 400lm · 350mA · 12Vf	4W · 480lm · 250mA · 17Vf
White RAL9016	WLTUBSI 0301030201	WLTUBSI 0301030202
Ano black	WLTUBSI 0302030201	WLTUBSI 0302030202
Ano champagne	WLTUBSI 0303030201	WLTUBSI 0303030202
Ano bronze	WLTUBSI 0304030201	WLTUBSI 0304030202
Travertin	WLTUBSI 0305030201	WLTUBSI 0305030202
White marble	WLTUBSI 0306030201	WLTUBSI 0306030202
Black marble	WLTUBSI 0307030201	WLTUBSI 0307030202
Black oak	WLTUBSI 0308030201	WLTUBSI 0308030202
Walnut	WLTUBSI 0309030201	WLTUBSI 0309030202

**Tubsi | pendant recessed | rod: ano bronze**

Length rod: 0-250cm, exact size to be specified when ordering



	60°	
	2700K CRI97	DTW 2800-1800K CRI95
	4W · 400lm · 350mA · 12Vf	4W · 480lm · 250mA · 17Vf
White RAL9016	WLTUBSI 0301040201	WLTUBSI 0301040202
Ano black	WLTUBSI 0302040201	WLTUBSI 0302040202
Ano champagne	WLTUBSI 0303040201	WLTUBSI 0303040202
Ano bronze	WLTUBSI 0304040201	WLTUBSI 0304040202
Travertin	WLTUBSI 0305040201	WLTUBSI 0305040202
White marble	WLTUBSI 0306040201	WLTUBSI 0306040202
Black marble	WLTUBSI 0307040201	WLTUBSI 0307040202
Black oak	WLTUBSI 0308040201	WLTUBSI 0308040202
Walnut	WLTUBSI 0309040201	WLTUBSI 0309040202

## Installation accessories

### Required installation options

Item code	Description	Cut-out
WLTUBSI FR0101	Tubsi pendant recessed trim frame white	ø48-50mm   H45mm
WLTUBSI FR0102	Tubsi pendant recessed trim frame anodised black	ø48-50mm   H45mm
WLTUBSI FR0103	Tubsi pendant recessed trim frame anodised champagne	ø48-50mm   H45mm
WLTUBSI FR0104	Tubsi pendant recessed trim frame anodised bronze	ø48-50mm   H45mm
WLTUBSI PK01	Tubsi pendant recessed trimless plasterkit	ø53-95mm   H45mm



### Required driver options - 350mA (2700K)

Item code	Description	Min	Max
<b>MAINS DIM</b>			
WL DRIVER01	WL LED Driver01 350mA 10W (1pcs) (mains dim)	1	2 *
WL DRIVER02	WL LED Driver02 350mA 18W (1pcs) (mains dim)	3	5 *
WL DRIVER09	WL LED Driver09 350mA 4W (1pcs) (mains dim)	1	1
<b>1-10V / PUSH</b>			
WL DRIVER06	WL Driver06 250-700mA 18W (1pcs) (1-10V/PUSH dim)	1	4 *
<b>DALI</b>			
WL DRIVER20	WL Driver20 250-700mA 30W (1pcs) (DALI dim)	1	4 *

(\*) driver does not fit through installation opening

### Required driver options - 250mA (DTW)



Item code	Description	Min	Max
<b>MAINS DIM</b>			
WL DRIVER10	WL Driver10 250mA 6W (1pcs) (mains dim)	1	1
WL DRIVER11	WL Driver11 250mA 10W (1pcs) (mains dim)	2	2 *
<b>1-10V / PUSH</b>			
WL DRIVER06	WL Driver06 250-700mA 18W (1pcs) (1-10V/PUSH dim)	1	2 *
<b>DALI</b>			
WL DRIVER20	WL Driver20 250-700mA 30W (1pcs) (DALI dim)	2	2 *

(\*) driver does not fit through installation opening

## Pendant recessed 24Vdc

### Tubsi | pendant recessed | rod: white


Length rod: 0-250cm, exact size to be specified when ordering



	<b>60°</b>
	<b>2700K CRI97</b>
	4W · 400lm · 24Vdc
White RAL9016	WLTUBSI 0301010101
Ano black	WLTUBSI 0302010101
Ano champagne	WLTUBSI 0303010101
Ano bronze	WLTUBSI 0304010101
Travertin	WLTUBSI 0305010101
White marble	WLTUBSI 0306010101
Black marble	WLTUBSI 0307010101
Black oak	WLTUBSI 0308010101
Walnut	WLTUBSI 0309010101

### Tubsi | pendant recessed | rod: ano black


Length rod: 0-250cm, exact size to be specified when ordering



	<b>60°</b>
	<b>2700K CRI97</b>
	4W · 400lm · 24Vdc
White RAL9016	WLTUBSI 0301020101
Ano black	WLTUBSI 0302020101
Ano champagne	WLTUBSI 0303020101
Ano bronze	WLTUBSI 0304020101
Travertin	WLTUBSI 0305020101
White marble	WLTUBSI 0306020101
Black marble	WLTUBSI 0307020101
Black oak	WLTUBSI 0308020101
Walnut	WLTUBSI 0309020101

**Tubsi | pendant recessed | rod: ano champagne**

Length rod: 0-250cm, exact size to be specified when ordering




24Vdc INPUT
DIMMABLE
CE
IP20
K.C.
0-10V 1-10V
BALD

	<b>60°</b>
	<b>2700K CRI97</b>
	4W · 400lm · 24Vdc
	White RAL9016 WLTUBSI 0301030101
	Ano black WLTUBSI 0302030101
	Ano champagne WLTUBSI 0303030101
	Ano bronze WLTUBSI 0304030101
	Travertin WLTUBSI 0305030101
	White marble WLTUBSI 0306030101
	Black marble WLTUBSI 0307030101
	Black oak WLTUBSI 0308030101
	Walnut WLTUBSI 0309030101

**Tubsi | pendant recessed | rod: ano bronze**

Length rod: 0-250cm, exact size to be specified when ordering



24Vdc INPUT
DIMMABLE
CE
IP20
K.C.
0-10V 1-10V
BALD

	<b>60°</b>
	<b>2700K CRI97</b>
	4W · 400lm · 24Vdc
	White RAL9016 WLTUBSI 0301040101
	Ano black WLTUBSI 0302040101
	Ano champagne WLTUBSI 0303040101
	Ano bronze WLTUBSI 0304040101
	Travertin WLTUBSI 0305040101
	White marble WLTUBSI 0306040101
	Black marble WLTUBSI 0307040101
	Black oak WLTUBSI 0308040101
	Walnut WLTUBSI 0309040101

## Installation accessories

### Required installation options

Item code	Description	Cut-out
WLTUBSI FR0101	Tubsi pendant recessed trim frame white	ø48-50mm   H45mm
WLTUBSI FR0102	Tubsi pendant recessed trim frame anodised black	ø48-50mm   H45mm
WLTUBSI FR0103	Tubsi pendant recessed trim frame anodised champagne	ø48-50mm   H45mm
WLTUBSI FR0104	Tubsi pendant recessed trim frame anodised bronze	ø48-50mm   H45mm
WLTUBSI PK01	Tubsi pendant recessed trimless plasterkit	ø53-95mm   H45mm



### Required driver options 24Vdc

Item code	Description	Min	Max
<b>NON DIM</b>			
WL DRIVER17	WL Driver17 24Vdc 12W (1pcs) (non-dim)	1	2 *
<b>MAINS DIM</b>			
WL DRIVER13	WL Driver13 24Vdc 36W (1pcs) (mains dim)	1	7 *
WL DRIVER16	WL Driver16 24Vdc 60W (1pcs) (mains dim)	1	12 *
<b>1-10V/DALI/PUSH</b>			
WL DRIVER14	WL Driver14 24Vdc 70W (1pcs) (1-10V/DALI dim)	1	15 *
WL DRIVER19	WL Driver19 24Vdc 120W (1pcs) (1-10V/DALI dim)	1	25 *

(\*) driver does not fit inside ceilig box