


**Surface mounted round driver excl.**


**2700K**

Tubsi | tubed surface mounted round | excl. driver | ceiling box: white





	30°		60°	
	2700K CRI97		2700K CRI97	
	4W · 400lm · 24Vdc		4W · 400lm · 24Vdc	
White RAL9016	WLTUBSI 0901010101	WLTUBSI 0901010201	WLTUBSI 0901010201	WLTUBSI 0901010201
Ano black	WLTUBSI 0902010101	WLTUBSI 0902010201	WLTUBSI 0902010201	WLTUBSI 0902010201
Ano champagne	WLTUBSI 0903010101	WLTUBSI 0903010201	WLTUBSI 0903010201	WLTUBSI 0903010201
Ano bronze	WLTUBSI 0904010101	WLTUBSI 0904010201	WLTUBSI 0904010201	WLTUBSI 0904010201
Travertin	WLTUBSI 0905010101	WLTUBSI 0905010201	WLTUBSI 0905010201	WLTUBSI 0905010201
White marble	WLTUBSI 0906010101	WLTUBSI 0906010201	WLTUBSI 0906010201	WLTUBSI 0906010201
Black marble	WLTUBSI 0907010101	WLTUBSI 0907010201	WLTUBSI 0907010201	WLTUBSI 0907010201
Black oak	WLTUBSI 0908010101	WLTUBSI 0908010201	WLTUBSI 0908010201	WLTUBSI 0908010201
Walnut	WLTUBSI 0909010101	WLTUBSI 0909010201	WLTUBSI 0909010201	WLTUBSI 0909010201

Tubsi | tubed surface mounted round | excl. driver | ceiling box: ano black





	30°		60°	
	2700K CRI97		2700K CRI97	
	4W · 400lm · 24Vdc		4W · 400lm · 24Vdc	
White RAL9016	WLTUBSI 0901020101	WLTUBSI 0901020201	WLTUBSI 0901020201	WLTUBSI 0901020201
Ano black	WLTUBSI 0902020101	WLTUBSI 0902020201	WLTUBSI 0902020201	WLTUBSI 0902020201
Ano champagne	WLTUBSI 0903020101	WLTUBSI 0903020201	WLTUBSI 0903020201	WLTUBSI 0903020201
Ano bronze	WLTUBSI 0904020101	WLTUBSI 0904020201	WLTUBSI 0904020201	WLTUBSI 0904020201
Travertin	WLTUBSI 0905020101	WLTUBSI 0905020201	WLTUBSI 0905020201	WLTUBSI 0905020201
White marble	WLTUBSI 0906020101	WLTUBSI 0906020201	WLTUBSI 0906020201	WLTUBSI 0906020201
Black marble	WLTUBSI 0907020101	WLTUBSI 0907020201	WLTUBSI 0907020201	WLTUBSI 0907020201
Black oak	WLTUBSI 0908020101	WLTUBSI 0908020201	WLTUBSI 0908020201	WLTUBSI 0908020201
Walnut	WLTUBSI 0909020101	WLTUBSI 0909020201	WLTUBSI 0909020201	WLTUBSI 0909020201

**Tubsi | tubed surface mounted round | excl. driver | ceiling box: ano champagne**



	30°		60°	
	2700K CRI97		2700K CRI97	
	4W · 400lm · 24Vdc		4W · 400lm · 24Vdc	
White RAL9016	WLTUBSI 0901030101	WLTUBSI 0901030201	WLTUBSI 0901030201	WLTUBSI 0901030201
Ano black	WLTUBSI 0902030101	WLTUBSI 0902030201	WLTUBSI 0902030201	WLTUBSI 0902030201
Ano champagne	WLTUBSI 0903030101	WLTUBSI 0903030201	WLTUBSI 0903030201	WLTUBSI 0903030201
Ano bronze	WLTUBSI 0904030101	WLTUBSI 0904030201	WLTUBSI 0904030201	WLTUBSI 0904030201
Travertin	WLTUBSI 0905030101	WLTUBSI 0905030201	WLTUBSI 0905030201	WLTUBSI 0905030201
White marble	WLTUBSI 0906030101	WLTUBSI 0906030201	WLTUBSI 0906030201	WLTUBSI 0906030201
Black marble	WLTUBSI 0907030101	WLTUBSI 0907030201	WLTUBSI 0907030201	WLTUBSI 0907030201
Black oak	WLTUBSI 0908030101	WLTUBSI 0908030201	WLTUBSI 0908030201	WLTUBSI 0908030201
Walnut	WLTUBSI 0909030101	WLTUBSI 0909030201	WLTUBSI 0909030201	WLTUBSI 0909030201

**Tubsi | tubed surface mounted round | excl. driver | ceiling box: ano bronze**



	30°		60°	
	2700K CRI97		2700K CRI97	
	4W · 400lm · 24Vdc		4W · 400lm · 24Vdc	
White RAL9016	WLTUBSI 0901040101	WLTUBSI 0901040201	WLTUBSI 0901040201	WLTUBSI 0901040201
Ano black	WLTUBSI 0902040101	WLTUBSI 0902040201	WLTUBSI 0902040201	WLTUBSI 0902040201
Ano champagne	WLTUBSI 0903040101	WLTUBSI 0903040201	WLTUBSI 0903040201	WLTUBSI 0903040201
Ano bronze	WLTUBSI 0904040101	WLTUBSI 0904040201	WLTUBSI 0904040201	WLTUBSI 0904040201
Travertin	WLTUBSI 0905040101	WLTUBSI 0905040201	WLTUBSI 0905040201	WLTUBSI 0905040201
White marble	WLTUBSI 0906040101	WLTUBSI 0906040201	WLTUBSI 0906040201	WLTUBSI 0906040201
Black marble	WLTUBSI 0907040101	WLTUBSI 0907040201	WLTUBSI 0907040201	WLTUBSI 0907040201
Black oak	WLTUBSI 0908040101	WLTUBSI 0908040201	WLTUBSI 0908040201	WLTUBSI 0908040201
Walnut	WLTUBSI 0909040101	WLTUBSI 0909040201	WLTUBSI 0909040201	WLTUBSI 0909040201

## Installation accessories

### Required driver options 24Vdc

Item code	Description	Min	Max *
<b>NON DIM</b>			
WL DRIVER17	WL Driver17 24Vdc 12W (1pcs) (non-dim)	1	2
<b>MAINS DIM</b>			
WL DRIVER13	WL Driver13 24Vdc 36W (1pcs) (mains dim)	1	7 *
WL DRIVER16	WL Driver16 24Vdc 60W (1pcs) (mains dim)	1	12 *
<b>1-10V/DALI/PUSH</b>			
WL DRIVER14	WL Driver14 24Vdc 70W (1pcs) (1-10V/DALI dim)	1	15 *
WL DRIVER19	WL Driver19 24Vdc 120W (1pcs) (1-10V/DALI dim)	1	25 *

(\*) driver does not fit inside ceiling box