


**Surface mounted round driver incl.**

**2700K**


**Tubsi | tubed surface mounted round | incl. driver | ceiling box: white**



230V INPUT DIMMABLE CE IP20 Mains dim

	30°	60°
	2700K CRI97	2700K CRI97
	4W · 400lm · 230V	4W · 400lm · 230V
White RAL9016	WLTUBSI 0801010101	WLTUBSI 0801010201
Ano black	WLTUBSI 0802010101	WLTUBSI 0802010201
Ano champagne	WLTUBSI 0803010101	WLTUBSI 0803010201
Ano bronze	WLTUBSI 0804010101	WLTUBSI 0804010201
Travertin	WLTUBSI 0805010101	WLTUBSI 0805010201
White marble	WLTUBSI 0806010101	WLTUBSI 0806010201
Black marble	WLTUBSI 0807010101	WLTUBSI 0807010201
Black oak	WLTUBSI 0808010101	WLTUBSI 0808010201
Walnut	WLTUBSI 0809010101	WLTUBSI 0809010201


**Tubsi | tubed surface mounted round | incl. driver | ceiling box: ano black**



230V INPUT DIMMABLE CE IP20 Mains dim

	30°	60°
	2700K CRI97	2700K CRI97
	4W · 400lm · 230V	4W · 400lm · 230V
White RAL9016	WLTUBSI 0801020101	WLTUBSI 0801020201
Ano black	WLTUBSI 0802020101	WLTUBSI 0802020201
Ano champagne	WLTUBSI 0803020101	WLTUBSI 0803020201
Ano bronze	WLTUBSI 0804020101	WLTUBSI 0804020201
Travertin	WLTUBSI 0805020101	WLTUBSI 0805020201
White marble	WLTUBSI 0806020101	WLTUBSI 0806020201
Black marble	WLTUBSI 0807020101	WLTUBSI 0807020201
Black oak	WLTUBSI 0808020101	WLTUBSI 0808020201
Walnut	WLTUBSI 0809020101	WLTUBSI 0809020201


**Tubsi | tubed surface mounted round | incl. driver | ceiling box: ano champagne**



230V INPUT DIMMABLE CE IP20 Mains dim

	30°		60°	
	2700K CRI97		2700K CRI97	
	4W · 400lm · 230V		4W · 400lm · 230V	
White RAL9016	WLTUBSI 0801030101	WLTUBSI 0801030201	WLTUBSI 0801030201	WLTUBSI 0801030201
Ano black	WLTUBSI 0802030101	WLTUBSI 0802030201	WLTUBSI 0802030201	WLTUBSI 0802030201
Ano champagne	WLTUBSI 0803030101	WLTUBSI 0803030201	WLTUBSI 0803030201	WLTUBSI 0803030201
Ano bronze	WLTUBSI 0804030101	WLTUBSI 0804030201	WLTUBSI 0804030201	WLTUBSI 0804030201
Travertin	WLTUBSI 0805030101	WLTUBSI 0805030201	WLTUBSI 0805030201	WLTUBSI 0805030201
White marble	WLTUBSI 0806030101	WLTUBSI 0806030201	WLTUBSI 0806030201	WLTUBSI 0806030201
Black marble	WLTUBSI 0807030101	WLTUBSI 0807030201	WLTUBSI 0807030201	WLTUBSI 0807030201
Black oak	WLTUBSI 0808030101	WLTUBSI 0808030201	WLTUBSI 0808030201	WLTUBSI 0808030201
Walnut	WLTUBSI 0809030101	WLTUBSI 0809030201	WLTUBSI 0809030201	WLTUBSI 0809030201

**Tubsi | tubed surface mounted round | incl. driver | ceiling box: ano bronze**




230V INPUT DIMMABLE CE IP20 Mains dim

	30°		60°	
	2700K CRI97		2700K CRI97	
	4W · 400lm · 230V		4W · 400lm · 230V	
White RAL9016	WLTUBSI 0801040101	WLTUBSI 0801040201	WLTUBSI 0801040201	WLTUBSI 0801040201
Ano black	WLTUBSI 0802040101	WLTUBSI 0802040201	WLTUBSI 0802040201	WLTUBSI 0802040201
Ano champagne	WLTUBSI 0803040101	WLTUBSI 0803040201	WLTUBSI 0803040201	WLTUBSI 0803040201
Ano bronze	WLTUBSI 0804040101	WLTUBSI 0804040201	WLTUBSI 0804040201	WLTUBSI 0804040201
Travertin	WLTUBSI 0805040101	WLTUBSI 0805040201	WLTUBSI 0805040201	WLTUBSI 0805040201
White marble	WLTUBSI 0806040101	WLTUBSI 0806040201	WLTUBSI 0806040201	WLTUBSI 0806040201
Black marble	WLTUBSI 0807040101	WLTUBSI 0807040201	WLTUBSI 0807040201	WLTUBSI 0807040201
Black oak	WLTUBSI 0808040101	WLTUBSI 0808040201	WLTUBSI 0808040201	WLTUBSI 0808040201
Walnut	WLTUBSI 0809040101	WLTUBSI 0809040201	WLTUBSI 0809040201	WLTUBSI 0809040201

**DTW 2800-1800K**


Tubsi | tubed surface mounted round | incl. driver | ceiling box: white



230V INPUT DIMMABLE CE IP20 Mains dim

	30°	60°
	DTW 2800-1800K CRI95	DTW 2800-1800K CRI95
	4W · 480lm · 230V	4W · 480lm · 230V
White RAL9016	WLTUBSI 0801010102	WLTUBSI 0801010202
Ano black	WLTUBSI 0802010102	WLTUBSI 0802010202
Ano champagne	WLTUBSI 0803010102	WLTUBSI 0803010202
Ano bronze	WLTUBSI 0804010102	WLTUBSI 0804010202
Travertin	WLTUBSI 0805010102	WLTUBSI 0805010202
White marble	WLTUBSI 0806010102	WLTUBSI 0806010202
Black marble	WLTUBSI 0807010102	WLTUBSI 0807010202
Black oak	WLTUBSI 0808010102	WLTUBSI 0808010202
Walnut	WLTUBSI 0809010102	WLTUBSI 0809010202


Tubsi | tubed surface mounted round | incl. driver | ceiling box: ano black



230V INPUT DIMMABLE CE IP20 Mains dim

	30°	60°
	DTW 2800-1800K CRI95	DTW 2800-1800K CRI95
	4W · 480lm · 230V	4W · 480lm · 230V
White RAL9016	WLTUBSI 0801020102	WLTUBSI 0801020202
Ano black	WLTUBSI 0802020102	WLTUBSI 0802020202
Ano champagne	WLTUBSI 0803020102	WLTUBSI 0803020202
Ano bronze	WLTUBSI 0804020102	WLTUBSI 0804020202
Travertin	WLTUBSI 0805020102	WLTUBSI 0805020202
White marble	WLTUBSI 0806020102	WLTUBSI 0806020202
Black marble	WLTUBSI 0807020102	WLTUBSI 0807020202
Black oak	WLTUBSI 0808020102	WLTUBSI 0808020202
Walnut	WLTUBSI 0809020102	WLTUBSI 0809020202


**Tubsi | tubed surface mounted round | incl. driver | ceiling box: ano champagne**



230V INPUT DIMMABLE CE IP20 Mains dim

	30°	60°
	DTW 2800-1800K CRI95	DTW 2800-1800K CRI95
	4W · 480lm · 230V	4W · 480lm · 230V
White RAL9016	WLTUBSI 0801030102	WLTUBSI 0801030202
Ano black	WLTUBSI 0802030102	WLTUBSI 0802030202
Ano champagne	WLTUBSI 0803030102	WLTUBSI 0803030202
Ano bronze	WLTUBSI 0804030102	WLTUBSI 0804030202
Travertin	WLTUBSI 0805030102	WLTUBSI 0805030202
White marble	WLTUBSI 0806030102	WLTUBSI 0806030202
Black marble	WLTUBSI 0807030102	WLTUBSI 0807030202
Black oak	WLTUBSI 0808030102	WLTUBSI 0808030202
Walnut	WLTUBSI 0809030102	WLTUBSI 0809030202

**Tubsi | tubed surface mounted round | incl. driver | ceiling box: ano bronze**



230V INPUT DIMMABLE CE IP20 Mains dim

	30°	60°
	DTW 2800-1800K CRI95	DTW 2800-1800K CRI95
	4W · 480lm · 230V	4W · 480lm · 230V
White RAL9016	WLTUBSI 0801040102	WLTUBSI 0801040202
Ano black	WLTUBSI 0802040102	WLTUBSI 0802040202
Ano champagne	WLTUBSI 0803040102	WLTUBSI 0803040202
Ano bronze	WLTUBSI 0804040102	WLTUBSI 0804040202
Travertin	WLTUBSI 0805040102	WLTUBSI 0805040202
White marble	WLTUBSI 0806040102	WLTUBSI 0806040202
Black marble	WLTUBSI 0807040101	WLTUBSI 0807040202
Black oak	WLTUBSI 0808040102	WLTUBSI 0808040202
Walnut	WLTUBSI 0809040102	WLTUBSI 0809040202

## Installation accessories

### Required driver options 24Vdc

Item code	Description	Min	Max *
<b>NON DIM</b>			
WL DRIVER17	WL Driver17 24Vdc 12W (1pcs) (non-dim)	1	2
<b>MAINS DIM</b>			
WL DRIVER13	WL Driver13 24Vdc 36W (1pcs) (mains dim)	1	7 *
WL DRIVER16	WL Driver16 24Vdc 60W (1pcs) (mains dim)	1	12 *
<b>1-10V/DALI/PUSH</b>			
WL DRIVER14	WL Driver14 24Vdc 70W (1pcs) (1-10V/DALI dim)	1	15 *
WL DRIVER19	WL Driver19 24Vdc 120W (1pcs) (1-10V/DALI dim)	1	25 *

(\*) driver does not fit inside ceiling box